

# Medication Assisted Treatment or Medication for Addiction Treatment from the Emergency Department: **RESOURCES**

## **Abbreviations:**

OD = Opioid Use Disorder

MAT = Medication Assisted Treatment

COWS = Clinical Opiate Withdrawal Score

BPW = Buprenorphine Precipitated Withdrawal

## **General Resources regarding MAT:**

MAT for OD has been standard practice in many EDs for several years. There many successful programs that share their protocols publicly.

### **California Bridges Model**

Very comprehensive; developed by an interdisciplinary team based on published evidence and expert opinion. Includes protocols for initiating MAT; how to treat acute pain in patients on MAT for OD; provider and patient education; sample order sets; pregnant patient considerations.

<https://www.bridgetotreatment.org/resources>

### **ACEP: Buprenorphine use in the Emergency Department Tool: BUPE**

One stop website with critical materials if considering starting MAT for a patient.

Link to the COWS score in MDCalc; information regarding BPW; types of medicines available; has a smart phone application for ACEP members

<https://www.acep.org/patient-care/bupe/>

### **ACEP: E-QUAL Network Opioid Initiative**

One stop website with critical materials regarding reducing opioid associated harm.

Toolkit; Pocket cards; Lectures; etc.

<https://www.acep.org/administration/quality/equal/emergency-quality-network-e-equal-opioid-initiative/>

### **Washington ACEP: MAT in the ED**

Five 1-2 page PDFs with essential information

<https://washingtonacep.org/resources/mat-in-the-ed/>

### **Yale: ED-Initiated Buprenorphine**

Lots of resources including videos modeling conversations between provider and patient for post overdose, teens, and OD.

<https://medicine.yale.edu/edbup/overview/>

### **SAMHSA: Medication Assisted Treatment**

56 publications on SUD treatment & MAT

<https://store.samhsa.gov/treatment-prevention-recovery/medication-assisted-treatment>

<https://www.samhsa.gov/medication-assisted-treatment>

### **AAEM: Buprenorphine White Paper**

Management of Opioid Use Disorder in the Emergency Department; 37-page PDF with a lot of information and resources

<https://www.aaem.org/resources/statements/position>

### **Herring; Highland Hospital: ED MAT of Opioid Addiction**

Comprehensive 50-page PDF; lots of charts and discussion of the evidence for MAT in the ED; lots of practical information; proposed models for how this might look in different EDs

<https://www.chcf.org/wp-content/uploads/2017/12/PDF-EDMATOpioidProtocols.pdf>

### **Linkage to Services from the ED: Michigan**

The warm-handoff is integral to helping patients with OUD achieve recovery – patients started on MAT in the ED need follow-up just like all patients with chronic medical conditions. Making this happen can be challenging and every hospital / ED will need to connect with local SUD resources and create a referral network. The use of Social Work, Care Navigators, and Peer Recovery Coaches in the ED is universally recommended.

### **MDHHS: Get Help Now**

Providers / patients can select a county or city and get the phone number for the local SUD and Community Mental Health agencies

<https://www.michigan.gov/opioids/0,9238,7-377-88140---,00.html>

[https://www.michigan.gov/mdhhs/0,5885,7-339-71550\\_2941\\_4871\\_29887---,00.html](https://www.michigan.gov/mdhhs/0,5885,7-339-71550_2941_4871_29887---,00.html)

[https://www.michigan.gov/mdhhs/0,5885,7-339-71550\\_2941\\_4871\\_4877---,00.html](https://www.michigan.gov/mdhhs/0,5885,7-339-71550_2941_4871_4877---,00.html)

### **MDHHS: Opioid Health Home**

Comprehensive care management for medically complex Medicaid beneficiaries with opioid use disorder

[https://www.michigan.gov/mdhhs/0,5885,7-339-71547\\_4860\\_87523---,00.html](https://www.michigan.gov/mdhhs/0,5885,7-339-71547_4860_87523---,00.html)

### **MDHHS: Peer Recovery Services and Supports; Recovery Oriented System of Care**

Information on peer recovery coach services / training

[https://www.michigan.gov/mdhhs/0,5885,7-339-71550\\_2941\\_4871\\_55008---,00.html](https://www.michigan.gov/mdhhs/0,5885,7-339-71550_2941_4871_55008---,00.html)

[https://www.michigan.gov/mdhhs/0,5885,7-339-71550\\_2941\\_4871\\_4877\\_48561-84396--,00.html](https://www.michigan.gov/mdhhs/0,5885,7-339-71550_2941_4871_4877_48561-84396--,00.html)

### **211 Michigan**

Call / text 24/7 to get help with a variety of issues including SUD / OUD

Website allows you to search for treatment services by zip code

<https://www.mi211.org/get-help/mental-health-substance-abuse>

### **SAMHSA: Treatment Services Locator**

Allows you to search by state / zip code for SUD providers

<https://findtreatment.samhsa.gov/>

### **SAMHSA: Buprenorphine Practitioner Locator**

Allows you to search by state / zip code for providers of MAT

<https://www.samhsa.gov/medication-assisted-treatment/practitioner-program-data/treatment-practitioner-locator>

### **SAMHSA Webinar: Supporting recovery in acute care and emergency settings**

The use of peer recovery coaches in the ED; logistics of such a program; results of this program in Rhode Island

[https://www.samhsa.gov/sites/default/files/programs\\_campaigns/recovery\\_to\\_practice/supporting-recovery-in-acute-care-emergency-settings.pdf](https://www.samhsa.gov/sites/default/files/programs_campaigns/recovery_to_practice/supporting-recovery-in-acute-care-emergency-settings.pdf)

### **The National Council for Behavioral Health**

Peer Support Workers in Emergency Departments: Engaging Individuals Surviving Opioid Overdoses

<https://www.thenationalcouncil.org/wp-content/uploads/2018/12/Peer-Support-Workers-in-EDs-Issue-Brief.pdf>

**MPCA: Michigan Primary Care Association**

Information for community primary care practices on how to provide MAT for their patients.

<https://www.mpca.net/page/SUD>

**Capacitytype: Recovery Resource Hub**

Find your community on the map then switch to the list view to see contact information for local SUD providers

<https://www.recoveryresourcehub.org/>

**Help.org**

For patients; explains different types of rehab programs and treatment options to consider.

<https://www.help.org/drug-and-alcohol-rehab-centers-in-michigan/>

Many Communities in Michigan have their own websites:

**CMHPSM: Community Mental Health Partnership of Southeast Michigan**

<https://www.cmhpsm.org/sudservices>

**Northern Michigan Regional Entity**

<https://www.drugfreenorthernmichigan.net/>

<https://www.nmre.org/wp-content/uploads/2020/02/FY20-Provider-Directory-February-2020.pdf>

**NorthCare Network**

<http://www.northcarenetwork.org/accessing-services.html>

**Oakland County: Substance Use Resources**

<https://www.oakgov.com/health/information/Pages/Substance-Abuse.aspx>

**Ottawa County: Community Mental Health and Substance Use Treatment**

<https://www.miottawa.org/Health/CMH/services.htm>

**Southwest Michigan Behavioral Health**

<https://www.swmbh.org/providers/provider-directory/>

**West Michigan Community Mental Health**

<https://www.wmcmhs.org/our-services/substance-use-disorder-outpatient-treatment/>

**TELEHEALTH / TELE-MAT:**

For rural communities and those communities without existing SUD providers, tele-MAT may be the only option for patients. Telemedicine is a relatively new development with growing evidence of effectiveness in delivering general medical care, behavioral health interventions, and substance use disorder treatment.

**WorkIt Health (*speaking today*)**

Workit Health is the only LARA-licensed teleMAT provider in the state of Michigan, with coverage through Medicaid, Medicare, and many regional insurance plans. Workit has partnered with NSF and NIDA to develop efficacious care addressing substance use disorders from prevention through medication assisted treatment.

<https://www.workithealth.com/>

Outcomes Data: <https://hubs.ly/H0n8hjB0>

**RHIhub: Rural Health Information Hub**

Tele-behavioral Health and Opioid Use Disorder

<https://www.ruralhealthinfo.org/toolkits/telehealth/2/specific-populations/behavioral-health/opioids>

**HHS: US Department of Health and Human Services**

Telemedicine and Prescribing Buprenorphine for the Treatment of Opioid Use Disorder

<https://www.hhs.gov/opioids/sites/default/files/2018-09/hhs-telemedicine-hhs-statement-final-508compliant.pdf>

**Technology Assisted Care (TAC) for SUD**

Technology to deliver some aspects of behavioral treatment directly to patients via interaction with a web-based program – sponsored by SAMHSA and HIDA

<http://sudtech.org/>

**Stigma:****MDHHS: End the Stigma**

Words matter materials; youtube videos

<https://www.michigan.gov/opioids/0,9238,7-377-88148-512727--,00.html>

**AMA: End the Epidemic – Put an end to Stigma**

<https://www.end-opioid-epidemic.org/removing-stigma/>

**ATTC: Addiction Technology Transfer Center Network**

A guide with practical information and tools to enhance effective stigma reduction efforts.

Long and with a lot of resources.

<https://attcnetwork.org/sites/default/files/2019-04/Anti-Stigma%20Toolkit.pdf>

**Johns Hopkins Bloomberg American Health Initiative:**

Guiding Principles for Addressing the Stigma on Opioid Addiction

<https://americanhealth.jhu.edu/article/guiding-principles-addressing-stigma-opioid-addiction>

A Roadmap to Reduce Stigma on Opioid Addiction

<https://americanhealth.jhu.edu/article/roadmap-reduce-stigma-opioid-addiction>

**Recovery Research Institute**

Does it Matter How We Talk About People with Substance Use Disorder?

<http://www.massmed.org/Continuing-Education-and-Events/Conference-Proceeding-Archive/Opioid-Use-Disorder-and-MAT-Treatment---John-Kelly/>

<https://www.recoveryanswers.org/research-post/the-real-stigma-of-substance-use-disorders/>

**PCSS: Providers Clinical Support System**

Webinar: Addiction, Stigma, and Discrimination: Implications for Treatment and Recovery

<https://pcssnow.org/event/addiction-stigma-and-discrimination-implications-for-treatment-and-recovery/>

**Shatter Proof**

Words matter materials

<https://www.shatterproof.org/about-addiction/stigma/stigma-reducing-language>

<https://www.shatterproof.org/about-addiction/stigma>

## **Overdose Lifeline / Choose Empathy**

Videos and educational materials material

<https://www.overdose-lifeline.org/stigma.html>

<https://chooseempathy.me/>

<https://www.overdose-lifeline.org/online-self-paced-courses.html>

## **LIVES Challenge: Leveraging Impactful Videos to End Stigma**

<https://vimeo.com/153845422>

## **The Unicorn Project: Recovery from opioid addiction is not a myth**

<https://unicornsarereal.org/category/stories/>

## **Take Home Naloxone:**

Please see the hand-out from the November Summit for a more comprehensive discussion and list of resources.

Michigan Standing Order Information Packet-Naloxone Prescription for Opioid

[https://www.michigan.gov/documents/mdhhs/Standing\\_Order\\_571880\\_7.pdf](https://www.michigan.gov/documents/mdhhs/Standing_Order_571880_7.pdf)

Take Action: excellent print resources for Naloxone upon discharge and training materials for staff

<https://www.overdoseaction.org/>

Get Naloxone Now: Save a Life

<https://www.getnaloxonenow.org/#home>

Prescribe to Prevent

[www.prescribetoprevent.org](http://www.prescribetoprevent.org)

Harm Reduction Coalition

<https://harmreduction.org/>

## **General Resources on the Opioid Epidemic:**

### **MDHHS: Opioid Resources**

<https://www.michigan.gov/opioids/>

[https://www.michigan.gov/mdhhs/0,5885,7-339-71550\\_2941\\_4871\\_79584---,00.html](https://www.michigan.gov/mdhhs/0,5885,7-339-71550_2941_4871_79584---,00.html)

### **MSMS: Michigan State Medical Society**

<https://www.msms.org/Resources/Quality-Patient-Safety/Reversing-the-Opioid-Epidemic>

### **SAMHSA:**

Wealth of resources on all topics related to SUD / OUD.

<https://www.samhsa.gov/>

### **CMS: Opioid Resources**

<https://www.cms.gov/About-CMS/Agency-Information/OMH/resource-center/hcps-and-researchers/Opioid-Resources-Page>

### **NCCHO: National Association of County and City Health Officials**

Opioid Overdose Epidemic Toolkit for Local Health Departments

<https://www.naccho.org/programs/community-health/injury-and-violence/opioid-epidemic/local-health-departments-and-the-opioid-epidemic-a-toolkit>

**American Hospital Association: Stem the Tide: Addressing the Opioid Epidemic**

<https://www.aha.org/system/files/content/17/opioid-toolkit.pdf>

**ATTC: Addiction Technology Transfer Center Network**

Funded by SAMHSA; an extensive resource with education materials for all job classes in medicine; webinars; “in my own words” patient narratives, etc.

<https://attcnetwork.org/centers/global-attc/taking-action-address-opioid-misuse>

**PCSS: Providers Clinical Support System**

Training materials for providers who want to prescribe MAT

<https://pcssnow.org/>

**University of Michigan affiliated resources:**

**IPC: Injury Prevention Center**

Safer Opioid Prescribing Toolkit; MOOC for training of non-prescribers; Overdose Surveillance

<http://injurycenter.umich.edu/opioid-overdose/>

**MOC: Michigan Opioid Collaborative**

Provides consultation to support MAT providers around the state; offer X-waiver training.

<https://medicine.umich.edu/dept/psychiatry/programs/michigan-opioid-collaborative-moc>

**M-OPEN: Michigan Opioid Prescribing Engagement Network**

Comprehensive strategy to improve opioid prescribing practices in acute settings.

<https://michigan-open.org/>

**Additional References: not a comprehensive list**

D'Onofrio G, O'Connor PG, Pantalon MV, et al. Emergency department-initiated buprenorphine/naloxone treatment for opioid dependence: a randomized clinical trial. *JAMA*. 2015; 313(16): 1636-440.

D'Onofrio G, Chawarski MC, O'Connor PG, et al. Emergency Department-Initiated Buprenorphine for Opioid Dependence with Continuation in Primary Care: Outcomes During and After Intervention. *Journal of General Internal Medicine*. 2017; 32(6): 660–666.

Edwards F, Wicelinski R, Gallagher N, et al. Treating Opioid Withdrawal with Buprenorphine in a Community Hospital Emergency Department: An Outreach Program. *Annals of Emergency Medicine*. 2020; 75(1): 49-56.

Eibl JK, Gauthier G, Pellegrini D, et al. The effectiveness of telemedicine-delivered opioid agonist therapy in a supervised clinical setting. *Drug and Alcohol Dependence*. 2017; 176: 133-138.

Fox L, Nelson LS. Emergency Department Initiation of Buprenorphine for Opioid Use Disorder: Current Status, and Future Potential. *CNS Drugs*. 2019; 33(12): 1147-1154.

Haffajee RL, Lin LA, Bohnert AS, et al. Characteristics of US counties with high opioid overdose mortality and low capacity to deliver medications for opioid use disorder. *JAMA Network Open*. 2019; 2(6): e196373-e196373.

Hu T, Snider-Adler M, Nijmeh L, et al. Buprenorphine/naloxone induction in a Canadian emergency department with rapid access to community-based addictions providers. *CJEM*. 2019; 21(4): 492-498.

Huskamp H, Busch AB, Souza J, et al. How is telemedicine being used in opioid and other substance use disorder treatment? *Health Affairs*. 2018; 37(12): 1940-1947.

Kaucher K, Caruso E, Sungar G, et al. Evaluation of an emergency department buprenorphine induction and medication-assisted treatment referral program. *American Journal of Emergency Medicine*. 2019 in press

Kawasaki S, Francis E, Mills S, et al. Multi-model implementation of evidence-based care in the treatment of opioid use disorder in Pennsylvania. *Journal of Substance Abuse Treatment*. 2019; 106: 58-64.

Lin LA, Casteel D, Shigekawa E, et al.. Telemedicine-delivered treatment interventions for substance use disorders: A systematic review. *Journal of Substance Abuse Treatment*. 2019; 101: 38-49.

Ma J, Bao YP, Wang RJ, et al. Effects of medication-assisted treatment on mortality among opioids users: a systematic review and meta-analysis. *Molecular Psychiatry*. 2019; 24: 1868-1883.

Martin A, Mitchell A, Wakeman S, et al. Emergency Department Treatment of Opioid Addiction: An Opportunity to Lead. *Academic Emergency Medicine*. 2018; 25: 601-604.

McGuire AB, Powell KG, Treitler PC, et al. Emergency department-based peer support for opioid use disorder: Emergent functions and forms. *Journal of Substance Abuse Treatment*. 2020; 108: 82-87.

Rubin R. Using Telemedicine to Treat Opioid Use Disorder in Rural Areas. *JAMA*. 2019; 322(11): 1029–1031.

Samuels EA, Baird J, Yang ES, et al. Adoption and Utilization of an Emergency Department Naloxone Distribution and Peer Recovery Coach Consultation Program. *Academic Emergency Medicine*. 2019; 26: 160–173.

Schwarz R, Zelenev A, Bruce RD, et al. Retention on buprenorphine treatment reduces emergency department utilization, but not hospitalization, among treatment-seeking patients with opioid dependence. *Journal of Substance Abuse Treatment*. 2012; 43(4): 451-457.

Tsai AC, Kiang MV, Barnett ML, et al. Stigma as a fundamental hindrance to the United States opioid overdose crisis response. *PLoS Medicine*. 2019; 16(11): e1002969.

Wakeman SE, Larochelle MR, Ameli O, et al. Comparative Effectiveness of Different Treatment Pathways for Opioid Use Disorder. *JAMA Network Open*. 2020; 3(2): e1920622.

Waye KM, Goyer J, Dettor D, et al. Implementing peer recovery services for overdose prevention in Rhode Island: An examination of two outreach-based approaches. *Addictive Behaviors*. 2019; 89: 85-91.

Weintraub E, Greenblatt AD, Chang J, et al. Expanding access to buprenorphine treatment in rural areas with the use of telemedicine. *The American Journal on Addictions*. 2018; 27(8): 612-617.

Zheng W, Nickasch M, Lander L, et al. Treatment Outcome Comparison Between Telepsychiatry and Face-to-face Buprenorphine Medication-assisted Treatment for Opioid Use Disorder: A 2-Year Retrospective Data Analysis. *Journal of Addiction Medicine*. 2017; 11(2): 138–144.